

IMPORTANT INFORMATION: Product must be installed and used in strict conformance with NFPA Pamphlet 58 and/or NFPA Pamphlet 54 and all other codes, regulations and manufacturer recommendations.

Failure to follow these codes, regulations and recommendations could result in hazardous installation, bodily injury and/or death.

PRODUCT TRAINING SCHOOLS AVAILABLE. Contact a GEC customer service representative for more information.

WARNING: LP Gas is extremely flammable and explosive. Devices used for handling LP Gas and Anhydrous Ammonia must be installed and used in strict conformance with NFPA Pamphlet 58 and 54 and all other codes, regulations and manufacturer recommendations.

Call for a Detailed Appliance Catalog

FEATURING:

**Residential Heating Equipment • Water Heaters
Construction Heaters • Agriculture Heaters • Shop Heaters**

Vanguard Gas Appliances

Infrared Heaters

- Manual Models - Three Heat Settings
- Thermostatic Control Models - Off and Full On
- Wall and Floor Mounts Included
- Electronic Ignition
- Thermostatic Controlled Blower Available



Blue Flame Heaters

- New Multi-Function Remote Control Models Now Available
- LCD Display
- Room Temperature Settings
- Clock (Real time) with Two Off and On Settings Per Day
- Thermostat Burner Control - Off and On
- Manual Burner - Off and On
- Child Safety Lock



Vent-Free Gas Logs

- Choose from Seven Log Series
- 18" Models to 36" Models Available
- Multi-Sided Model Available
- Wide Selection of Accessories
- Remote Controls Featured on Most Series



Fireboxes

- 32", 36", 42", and 50" Front Opening Sizes
- See-Thru and Peninsula Fireboxes
- Blower Kits - Trim Kits
- Mantels Available for 32" and 36" Fireboxes



Fireplaces (Vent-Free, Vented, Wood Burning)

- Many Models and Sizes Available
- Manual Control or Remote Control Models
- Blower Kits - Trim Kits
- Mantels Available for Most Models



Rinnai Gas Appliances

Efficient, Safe, Clean Heaters

Rinnai is improving lifestyles by providing homeowners with clean, comfortable heat, and controlling the quality of air inside their homes.

As an extra **BONUS**, Rinnai integrates an energy-saving intelligent 7-Stage Modulating Gas Valve and Blower into their most current heater products!

NEW RCE-590 Convection Heater

An efficient, vent-free gas convection heater with Plasmacluster air cleaning technology - the Plasmacluster emits positive and negative charged ions which cluster around impurities and completely inactivate them at the molecular level - much the same way nature cleanses the air outdoors.

Features

- Electronic Thermostat
- Finger Touch Control Buttons
- Economy Mode/Energy Savings Control Button
- Cool-to-the-Touch Cabinet
- Child Safety Lock
- Earthquake Proof/Tilt Switch



NEW RCE-590

EnergySaver Direct Vented Heater

Features

- Up to 84% Efficient Stainless Steel Heat Exchanger
- Integral Humidifier
- Programmable Thermostat and Frost Protection
- Easy Installation
- Cool-to-the-Touch Cabinet
- Child Safety Lock

Warranty

- 10 Year on the Heat Exchanger
- 5 Year on Parts
- 2 Year on Labor



EnergySaver

Silent Servant Ductless Zone Heater

Features

- Up to 99.9% Efficient Heat Exchanger
- Electric Ignition
- Digital, Adaptive Control
- Cool-to-the-Touch Cabinet
- Child Safety Lock
- Earthquake Proof/Tilt Switch

Warranty

- 3 Year on All Parts and Labor



Ductless Zone Heater

Call for a Detailed Appliance Catalog

Rinnai Gas Appliances

Hot Water on Demand

Rinnai's new Continuum Endless Hot Water System gives you unlimited hot water to your home or business. Continuum has no pilot light and can be easily mounted on the outside to open more space in the building. Rinnai's new system will lower your gas bill every month because you do not have to continually heat water 24 hours a day like old convention tanks do. You heat water ONLY when you use it. And, the water comes out at the temperature that you need.

Remote Controller

Features

- Digital Display
- 96-180 Degree Settings on Commercial Models
- 96-140 Degree Settings on Residential Models
- Diagnostic Display




Residential Models

Features

- External and Internal Models Available
- 96-140 Degree Settings
- 15,000 to 199,000 BTUH Capacity
- .6 to 8.5 Gallons Per Minute Delivered Endlessly
- Available in Natural Gas or Propane
- 9" Depth, 14" Width, 24" Height
- 10-Year Limited Warranty on the Heat Exchanger and 5-Years on All Other Parts
- Internal Model is Direct Vent Appliance - Uses No Indoor Air for Combustion
- Standard Controller (96-140 Degree) Included



Internal Residential



External Residential

Commercial Models

Features

- External and Internal Models Available
- 96-180 Degree Settings
- 15,000 to 180,000 BTUH Capacity
- .5 to 8.5 Gallons Per Minute Delivered Endlessly
- Available in Natural Gas or Propane
- 8 3/4" Depth, 13 3/4" Width, 23 5/8" Height
- Easily Installed

Cabinet

- Heavy Gauge Textured, Gray Powder Coated Cabinet

Venting on Internal Model

- Direct Vent Appliance - Uses No Indoor Air For Combustion

Warranty

- Exceptional 5-Year Warranty On The Heat Exchanger
- 5 Years On All Other Parts



Internal Commercial



External Commercial

Call for a Detailed Appliance Catalog

Mr. Heater Gas Appliances


Model Part #	Description	BTU/hr
MH12C	Single element fixed on a stand for heating or cooking	8,000-14,000
MH12T	Single element	
MH24T	Double element	8,000-28,000
MH42T	Triple element	8,000-42,000
MH9B	Portable "Buddy" - Check all local, state and federal codes before using indoors	4,000-9,000
MH18B	Portable "Big Buddy" - Check all local, state and federal codes before using indoors	4,000-9,000
MH22L	Garage heater w/thermostat	22,000 (LP)-25,000 (NG)

Cooking Position



MH12C
Mr. Heater/Cooker

Heating Position



MH12T
Mr. Heater



MH24T
Mr. Double
Heater



MH42T
Mr. Triple
Heater



MH22L
Garage Heater
Mr. Heater



MH9B
Portable "Buddy"
Mr. Heater



MH18B
Portable "Big
Buddy"
Mr. Heater

Cast Iron Hotplates - Low Pressure


Rugged, durable cast iron construction. Heavy-duty burner. Ideal for camping, hunting, fishing, boating, trailers, cabins, snack bars, restaurants, picnics. Available in single, double and triple burner models. Fry clean griddle made of 3/16" fine grade steel available for two or three burner sizes.

For Outdoor Use Only

Model Part #	Description	Capacity
SB	Single burner hot plate	15,000 BTU per burner
DB	Double burner hot plate	
TB	Triple burner hot plate	




SB



DB

Accessory

Model Part #	Description
VHA405FFREGP	3/4" x 5' hose, regulator assembly



Call for a Detailed Appliance Catalog

GAS EQUIPMENT COMPANY, Inc.

L.B. White Gas Appliances

L.B. White Pilot Ignition Heaters

Features

- Pilot light ignition - simple and dependable operation.
- "Tri-shield" Paint System - excellent protection with 3 layers of protective finish.
- Fully protected gas valve - molded caps on solenoid and pilot protect from dust, dirt & moisture.
- C.G.A./A.G.A. design certified - complies with applicable national standards. (1) Certified under C.G.A. (2) Certified under A.G.A. agricultural requirement 5-88 & C.G.A.
- Eyebolt & chain mounting system - all hardware included.
- Internal gas pressure tap.
- Ten year warranty on case and combustion chamber for rust through.
- Includes unit mounted thermostat.
- Does not include hose and regulator assembly.

Model Part #	Capacity BTU/hr.	Fuel Consumption	Air Output (Heated) CFM	Electrical	Motor Amp Draw	10 ft. Gas Hose	Gas Regulator Operating Pressure	Dimensions	Weight
346-4	60,000	60 cu. ft./hr.	250	115/60/1	3 amps.	¼" ID	11 in W.C.	21 ¼" x 11 ¼" x 24"	55 lbs.
377-4	115,000	115 cu. ft./hr.	600			½" ID		23" x 16 ½" x 24"	90 lbs.
408-4	170,000	170 cu. ft./hr.	760			24" x 19" x 30"		111 lbs.	

Other L.B. White models available for special order.



408-4



346-4



377-4

L.B. White Hot Surface Ignition Heaters

Features

- For indoor or outdoor applications.
- Adjustable heat output.
- AGA/CGA certified.
- All models shipped with a sediment trap and 10 ft. power cord. (Power cord not included with AS325LP)
- All models incorporate an integral gas regulator in the gas valve with a maximum inlet pressure of ½ PSIG.
- Gas valve includes manual gas flow shut-off.

Model Part #	BTU/h Rating		Heater Configuration	Heated Air Output (CFM)	Inlet Gas Supply Pressure		Cabinet Material	CSA U.S./Canada Certification
	Maximum Input	Minimum Input (variable from)	Hot Surface Ignition		Propane min./max. (in W.C.)	Natural Gas min./max. (in W.C.)		
AW100LP	100,000	50,000	Yes	400	11.5/13.5	7.0/13.5	Steel with Tri-shield Coating*	Yes
AW250LP	250,000	160,000	Yes	1,050	11.5/13.5	7.0/13.5	Galvanized Steel**	Yes
AW325LP	325,000	200,000	Yes	1,700	11.5/13.5	7.0/13.5	Galvanized Steel**	Yes

* Tri-shield coating consists of 3 unique protective layers including: a non-corrosive hot-dipped galvanized steel, an oven-cured epoxy primer and a baked, thermosetting polyester.

** Exclusive Tri-shield coating available



AW250LP



AW325LP



AW100LP


Call for a Detailed Appliance Catalog

Torch Gas Appliances

Super 8 Torch

The Manchester Super 8 is constructed of lightweight anodized parts for long-lasting use and tireless operation. Pilot flame for economical use along with trigger-locking device makes this torch unique.

Model Part #	Description	Burning Rate/hr.	BTU/hr.	Length
8012	For heavy duty agricultural & industrial uses.	15 to 20 gallons	1,840,000	8 ft.



8012

Power Jet Hand Burner

Ideal for use in close areas.

Model Part #	Description	BTU/hr.	Length
8017	Utilizes a pilot flame & trigger lock.	920,000	3 ft.



8017

Power Jet Bubble Back Pack Kit

Model Part #	BTU/hr.	Kit Contents
8061	920,000	<ul style="list-style-type: none"> • 8017 Power Jet hand burner • 10 ft. of hose • Pressure gauge • 0-100 lb. adjustable regulator • POL Fitting & operating instructions



8061
Power Jet Bubble
Pack Kit

Handiboy Burner Bubble Pack Kit

Model Part #	BTU/hr.	Kit Contents
8062	460,000	<ul style="list-style-type: none"> • 8053 Handiboy pilot-less burner assembly • 10 ft. of hose • POL Fitting & operating instructions



8062
Handiboy Bubble
Pack Kit

Red Dragon Vapor Torch Kits

Model Part #	Description	Kit Contents	Burner Capacity BTU/hr.
HT1½-10C	Ideal for the serious Do-It-Yourself worker needing a hand torch.	<ul style="list-style-type: none"> • 10 ft. of hose • POL fitting • Needle valve • Pipe thread compound • Spark ignitor 	50,000
VT1½-12C	Ideal for the smaller jobs where a larger torch proves too awkward.	<ul style="list-style-type: none"> • POL fitting • Needle valve • Pipe thread compound 	
VT2½-30C	Excellent utility torch kit for around the farm and home.	<ul style="list-style-type: none"> • 28" handle • 10 ft. of hose • POL fitting • Needle valve • Pipe thread compound 	400,000
VT2½-24CE	Excellent economy torch	<ul style="list-style-type: none"> • 12" handle • POL fitting • Needle valve • Pipe thread compound 	
VT3-30C	Ideal for burning weeds, stumps, clearing irrigation ditches, heating and thawing, plus numerous other agricultural and industrial uses.	<ul style="list-style-type: none"> • 10 ft. of hose • POL fitting • Needle valve • Pipe thread compound 	500,000



HT 1½-10 C



VT 1½-12 C



VT 3-30 C

Call for a Detailed Appliance Catalog

